



SILENT ANGEL

# N8

Built for better signal / Built for better music



# Features

- Eight AUDIO GRADE 100 / 1000 Base-T Gigabit Ethernet Ports.
- Superior main clock accuracy.
- Customized Silent Angel Noise Absorber (SANA).
- Two noise isolator for main power circuit.
- Two noise isolator for clock generator circuit.
- Medical Grade power adaptor. \*

# Specifications

## > Basic

• <b>Interface</b>	8 x Audio Grade 100 / 1000 Base-T
• <b>LED</b>	1 x Power LED (Green) 1 x Alarm LED (Red) 8 x Port Status LEDs (Link / Activity)

## > Advanced

• <b>Main Clock Accuracy</b>	0.1 ppm at 25 °C
• <b>EMI Absorber</b>	Silent Angel Noise Absorber (SANA)
• <b>Noise Isolator</b>	Main Power Circuit: 17.78 dB @ 100MHz x2 Clock Gen. Circuit: 20.79 dB @ 100MHz x2
• <b>Power Adaptor</b>	Medical Grade Power Adaptor *

## > Power and Case

• <b>Product Power Input</b>	External Power 5VDC at 1A
• <b>Power Consumption</b>	Max. 5W
• <b>Product Dimension</b>	154.5 mm x 85 mm x 26 mm
• <b>Package Dimension</b>	244 mm x 214 mm x 66 mm
• <b>Case Material</b>	Metal in Black
• <b>Safety</b>	CE
• <b>Weight</b>	1.2 KG ( Gross Weight )

## > Environmental

- **Temperature**  
Operating 0 ~ 35 °C  
Storage -20 ~ 70 °C
- **Humidity**  
Operating: 10% ~ 90% RH (non-condensing)  
Storage: 5% ~ 95% RH (non-condensing)

\* The medical grade power adaptor meets 2xMOPP isolation regulation, which is highest level in medical grade, and has ultra low leakage current (<100µA).

[sales@thunder-data.com](mailto:sales@thunder-data.com) / [www.silent-angel-audio.com](http://www.silent-angel-audio.com)

RM503, Building 18, No. 1889, Huandao East Road, Hengqin District, Zhuhai City, Guangdong Province, China

© 2019-2020 Thunder Data Co. Ltd.