




Rack Sizing Comparison Chart



Custom Series

Product	A Height w/ Casters"	B Height w/o Casters"	C Usable Rack Space Height	D Width	E Width Including Side Panels	F Front/ Rear Door Depth	G Depth w/ Front & Rear Doors	H Usable Depth	Overall Depth	Construction	UL Certified	Max Load Weight
SR-CUSTOM-21U-20IN	43.25" (109.8cm)	42.51" (108cm)	36.75" (93.3cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	23.75" (60.3 cm)	20" (50.8cm)	20.21" (51.3cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-21U-24IN	43.25" (109.8cm)	42.51" (108cm)	36.75" (93.3cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	27.75" (70.5 cm)	24" (61cm)	24.21" (61.5cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-21U-30IN	43.25" (109.8cm)	42.51" (108cm)	36.75" (93.3cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	33.75" (85.7 cm)	30" (76.2cm)	30.21" (76.7cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-27U-20IN	53.75" (136.5cm)	53" (134.6cm)	47.25" (120cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	23.75" (60.3 cm)	20" (50.8cm)	20.21" (51.3cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-27U-24IN	53.75" (136.5cm)	53" (134.6cm)	47.25" (120cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	27.75" (70.5 cm)	24" (61cm)	24.21" (61.5cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-27U-30IN	53.75" (136.5cm)	53" (134.6cm)	47.25" (120cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	33.75" (85.7 cm)	30" (76.2cm)	30.21" (76.7cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-32U-20IN	62.5" (158.8cm)	61.75" (156.8cm)	56" (142.2cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	23.75" (60.3 cm)	20" (50.8cm)	20.21" (51.3cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-32U-24IN	62.5" (158.8cm)	61.75" (156.8cm)	56" (142.2cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	27.75" (70.5 cm)	24" (61cm)	24.21" (61.5cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-32U-30IN	62.5" (158.8cm)	61.75" (156.8cm)	56" (142.2cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	33.75" (85.7 cm)	30" (76.2cm)	30.21" (76.7cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-37U-20IN	71.25" (181cm)	70.50" (179.1cm)	64.75" (164.5cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	23.75" (60.3 cm)	20" (50.8cm)	20.21" (51.3cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-37U-24IN	71.25" (181cm)	70.50" (179.1cm)	64.75" (164.5cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	27.75" (70.5 cm)	24" (61cm)	24.21" (61.5cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-37U-30IN	71.25" (181cm)	70.50" (179.1cm)	64.75" (164.5cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	33.75" (85.7 cm)	30" (76.2cm)	30.21" (76.7cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-42U-20IN	79.9" (203cm)	79.25" (201.3cm)	73.5" (186.7cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	23.75" (60.3 cm)	20" (50.8cm)	20.21" (51.3cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-42U-24IN	79.9" (203cm)	79.25" (201.3cm)	73.5" (186.7cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	27.75" (70.5 cm)	24" (61cm)	24.21" (61.5cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)
SR-CUSTOM-42U-30IN	79.9" (203cm)	79.25" (201.3cm)	73.5" (186.7cm)	19.82" (50.3cm)	21.24" (53.95cm)	1.62" (4.1cm)	33.75" (85.7 cm)	30" (76.2cm)	30.21" (76.7cm)	Steel w/ Black Powder Coat	✓	1000 lbs (453.5kg)

Signature Series

Product	A Height w/ Casters"	B Height w/o Casters"	C Usable Rack Space Height	D Width	E Width Including Side Panels	F Front/ Rear Door Depth	G Depth w/ Front & Rear Doors	H Usable Depth	Overall Depth	Construction	UL Certified	Max Load Weight
SR-AV-CAB-22U-25IN	44.4" (112.8cm)	42" (106.7cm)	38.5" (97.8cm)	23.5" (59.7cm)	23.5" (59.7cm)	-	25" (63.5cm)	22.5" (57.2cm)	25" (63.5cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)
SR-AV-CAB-32U-25IN	61.9" (157.2cm)	60" (152.4cm)	56" (142.2cm)	23.5" (59.7cm)	23.5" (59.7cm)	-	25" (63.5cm)	22.5" (57.2cm)	25" (63.5cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)
SR-AV-CAB-42U-25IN	79.4" (201.7cm)	77" (195.6cm)	73.5" (186.7cm)	23.5" (59.7cm)	23.5" (59.7cm)	-	25" (63.5cm)	22.5" (57.2cm)	25" (63.5cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)
SR-AV-CAB-42U-30IN	79.4" (201.7cm)	77" (195.6cm)	73.5" (186.7cm)	23.5" (59.7cm)	23.5" (59.7cm)	-	34" (86.4cm)	31.5" (80cm)	34" (86.4cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)

FS Series												
Product	A Height w/ Casters"	B Height w/o Casters"	C Usable Rack Space Height	D Width	E Width Including Side Panels	F Front/ Rear Door Depth	G Depth w/ Front & Rear Doors	H Usable Depth	Overall Depth	Construction	UL Certified	Max Load Weight
SR-FS-SYSTEM-DC-15U	34" (86.4cm)	30.25" (76.8cm)	26.25" (66.7cm)	"21.1" (53.6cm)	21.1" (53.6cm)	-	23.25" (59.1cm)	18.25" (46.4cm)	23.25" (59.1cm)	Steel w/ Black Powder Coat	-	750lbs. (340.1kg)
SR-FS-SYSTEM-DC-21U	44.5" (113cm)	40.75" (103.5cm)	36.75" (93.3cm)	"21.1" (53.6cm)	21.1" (53.6cm)	-	23.25" (59.1cm)	18.25" (46.4cm)	23.25" (59.1cm)	Steel w/ Black Powder Coat	-	750lbs. (340.1kg)
SR-FS-SYSTEM-DC-27U	55" (139.7cm)	51.25" (130.2cm)	47.25" (120cm)	"21.1" (53.6cm)	21.1" (53.6cm)	-	23.25" (59.1cm)	18.25" (46.4cm)	23.25" (59.1cm)	Steel w/ Black Powder Coat	-	750lbs. (340.1kg)
SR-FS-SYSTEM-DC-35U	67.5" (171.5cm)	64.6" (164.1cm)	61.25" (155.6cm)	21.1" (53.6cm)	21.1" (53.6cm)	-	23.1" (58.7cm)	18.25" (46.4cm)	23.1" (58.7cm)	Steel w/ Black Powder Coat	-	1000lbs (453.6kg)
SR-FS-SYSTEM-DC-42U	79.7" (202.4cm)	76.8" (195.1cm)	73.5" (186.7cm)	21.1" (53.6cm)	"21.1" (53.6cm)"	-	23.1" (58.7cm)	18.25" (46.4cm)	23.1" (58.7cm)	Steel w/ Black Powder Coat	-	1000lbs (453.6kg)

IT Datacom Series												
Product	A Height w/ Casters"	B Height w/o Casters"	C Usable Rack Space Height	D Width	E Width Including Side Panels	F Front/ Rear Door Depth	G Depth w/ Front & Rear Doors	H Usable Depth	Overall Depth	Construction	UL Certified	Max Load Weight
SR-IT-CAB-42U-30IN	78.75" (200cm)	76" (193cm)	73.5" (186.7cm)	23.6" (59.9cm)	23.6" (59.9cm)	-	34" (86.4cm)	31.5" (80cm)	34" (86.4cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)
SR-IT-CAB-42U-40IN	78.75" (200cm)	76" (193cm)	73.5" (186.7cm)	23.6" (59.9cm)	23.6" (59.9cm)	-	42" (106.7cm)	39.4" (100.1cm)	42" (106.7cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)
SR-IT-CAB-24U-30IN	48.25" (122.5cm)	45.5" (115.6cm)	42" (106.7cm)	23.6" (59.9cm)	23.6" (59.9cm)	-	34" (86.4cm)	31.5" (80cm)	34" (86.4cm)	Steel w/ Black Powder Coat	✓	2200lbs. (997.9kg)

Contractor Series												
Product	A Height w/ Casters"	B Height w/o Casters"	C Usable Rack Space Height	D Width	E Width Including Side Panels	F Front/ Rear Door Depth	G Depth w/ Front & Rear Doors	H Usable Depth	Overall Depth	Construction	UL Certified	Max Load Weight
SR-CS-RACK-12U	27.8" (70.6cm)	23.8" (60.5cm)	21" (53.3cm)	20" (50.8cm)	20" (50.8cm)	-	18.2" (46.2cm)	18.2" (46.2cm)	18.2" (46.2cm)	Steel w/ Black Powder Coat	✓	"600lbs (272.2kg)
SR-CS-RACK-16U	34.8" (88.4cm)	30.9" (78.5cm)	28" (71.1cm)	20" (50.8cm)	20" (50.8cm)	-	18.2" (46.2cm)	18.2" (46.2cm)	18.2" (46.2cm)	Steel w/ Black Powder Coat	✓	"600lbs (272.2kg)
SR-CS-RACK-21U	43.5" (110.5cm)	39.6" (100.6cm)	37" (94cm)	20" (50.8cm)	20" (50.8cm)	-	18.2" (46.2cm)	18.2" (46.2cm)	18.2" (46.2cm)	Steel w/ Black Powder Coat	✓	"600lbs (272.2kg)

In-Cabinet Sliding Rack

Product	A Height w/ Top	B Height w/o Top	C Usable Rack Space Height	D Width	E Wire Management Actual Height	F Depth Retracted	G Spin Diameter	H Usable Depth	Extended Depth	Construction	UL Certified	Max Load Weight
SR-CAB-SLIDE-8U	17.48" (44.40cm)	17.42" (44.25cm)	14.13" (35.89cm)	19.85" (50.42cm)	17.76" (45.11 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-10U	20.98" (62.18cm)	20.92 in (53.14 cm)	21.13" (53.67cm)	19.85" (50.42cm)	17.76" (45.11 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-12U	24.48" (139.7cm)	24.42 in (62.03 cm)	21.13" (53.67cm)	19.85" (50.42cm)	17.76" (45.11 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-14U	27.98" (71.07cm)	27.92 in (70.92 cm)	24.63" (62.56cm)	19.85" (50.42cm)	17.76" (45.11 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-16U	27.98" (71.07cm)	31.42 in (79.81 cm)	28.13" (71.45cm)	19.85" (50.42cm)	23" (58.42 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-18U	34.98" (88.85cm)	34.92 in (88.70 cm)	31.63" (80.34cm)	19.85" (50.42cm)	23" (58.42 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-21U	40.23" (102.18cm)	40.17 in (102.03 cm)	36.88" (93.68cm)	19.85" (50.42cm)	23" (58.42 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-24U	45.48" (115.52cm)	45.42 in (115.37 cm)	42.13" (107.01cm)	19.85" (50.42cm)	23" (58.42 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-28U	52.48" (133.30cm)	52.42 in (133.15 cm)	49.13" (124.79cm)	19.85" (50.42cm)	35.26" (89.56 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-30U	55.98" (142.19cm)	55.92 in (142.04 cm)	52.63" (133.68cm)	19.85" (50.42cm)	35.26" (89.56 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-35U	64.73" (164.41cm)	64.67 in (164.26 cm)	61.38" (155.91cm)	19.85" (50.42cm)	35.26" (89.56 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)
SR-CAB-SLIDE-42U	76.98" (195.53cm)	76.92 in (195.38 cm)	73.63" (187.02cm)	19.85" (50.42cm)	35.26" (89.56 cm)	19.38" (49.23cm)	26.75" (67.95cm)	17.73" (45.03cm)	43.13" (109.5cm)	Steel w/ Black Powder Coat	✓	300lbs. (136.08kg)